

# **Safety Data Sheet**

Issue date 16-Dec-2014 Version 1

# 1. Identification of the Substance/Preparation and of the Company/Undertaking

**Product Identifier** 

Product name CHAMPION SPRAYON FS+ MULTI-PURPOSE INSECTICIDE

Chemical name 7-7969

Other means of identification

Product code FG 438-5113-1

Synonyms Multi-purpose insecticide

Registration number(s) 498-202

Recommended use of the chemical and restrictions on use

**Recommended Use** Flying and crawling insect killer.

**Uses advised against** See directions for use on product's label.

Details of the supplier of the safety data sheet

Supplier Address
Chase Products Co.
2727 Gardner Road
Broadview, IL 60155
708-273-1121

Manufacturer Address
Chase Products Co.
2727 Gardner Road
Broadview, IL 60155
708-273-1121

**Emergency Telephone Number** 

**Company Phone Number** 708-865-1000 **24 Hour Emergency Phone Number** 1-800-255-3924

Emergency telephone ChemTel 1-800-255-3924

# 2. Hazards Identification

#### Classification

This chemical is regulated by FIFRA.

Acute toxicity - Inhalation (Gases)	Category 3
Acute toxicity - Inhalation (Vapors)	Category 3
Skin sensitization	Category 1
Aspiration toxicity	Category 1
FLAMMABLE AEROSOLS	Category 1
Gases Under Pressure	liquefied gas

#### **Label Elements**

# **EMERGENCY OVERVIEW**

### DANGER

#### hazard statements

Toxic if inhaled

May cause an allergic skin reaction

May be fatal if swallowed and enters airways

EXTREMELY FLAMMABLE AEROSOL

Contains gas under pressure; may explode if heated



Appearance Clear, yellowish liquid.

Physical State Aerosol

**Odor** Characteristic odor of insecticide and petroleum distillate.

### **Precautionary Statements - Prevention**

Avoid breathing fumes, mist, vapors or spray.

Use only outdoors or in a well-ventilated area

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Keep away from heat, sparks, open flames and hot surfaces. — No smoking

Pressurized container: Do not pierce or burn, even after use

Do not spray on an open flame or other ignition source

# **Precautionary Statements - Response**

Specific treatment: See First Aid statements on the label.

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

IF SWALLOWED: Immediately call a POISON CENTER or doctor.

Do NOT induce vomiting

# **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

# Other Information

- May be harmful in contact with skin
- · Very toxic to aquatic life with long lasting effects
- · Very toxic to aquatic life

0% of the mixture consists of ingredient(s) of unknown toxicity

# 3. Composition/information on Ingredients

Common NameInsecticide spray.SynonymsMulti-purpose insecticide.

Chemical Family Pesticide. Formula 7-7969

**Chemical nature** Solvent based insecticide.

Chemical name	CAS No	weight-%	Trade secret
Petroleum distillates, hydrotreated light	64742-47-8	80-85	*
n-butane	106-97-8	5-10	*
Propane	74-98-6	5-10	*
Esfenvalerate	66230-04-4	0.1	*

Chemical Additions

See label for active ingredients information.

# 4. First aid measures

# **FIRST AID MEASURES**

Eye Contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

Skin contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for treatment advise.

inhalation If overcome by vapor, move person to fresh air. If person is not breathing, call 911 or an

ambulance, then provide artifical respiration, preferably mouth-to-mouth, if possible. Call a

poison control center or doctor for further treatment advise.

**INGESTION** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do

so by the poison control center or doctor. Do not give any liquid to the person. Do not give

anything by mouth to an unconscious person.

#### Most important symptoms and effects, both acute and delayed

Symptoms Prolonged contact with skin may cause allergic reactions on some individuals. Harmful if

inhaled.

#### Indication of any immediate medical attention and special treatment needed

Note to physicians Contains petroleum distillates, do not induce vomiting because of aspiration neumonia

hazard.

# 5. Fire-fighting measures

### Suitable extinguishing media

Use CO2, dry chemical, or foam.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

This product is under pressure. Water spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the explosion of the cans.

Hazardous combustion products Thermal decomposition may yield gases like carbon monoxide, carbon dioxide and

hydrogen cyanide gas (from active ingredient). Hydrogen cyanide may be formed at 160 F (71.1 C) or higher, or by contact with alkaline substances such as soda ash and lye.

**Explosion data** 

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame, and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

**Personal precautions**Use with adequate general or local exhaust ventilation.

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

For emergency responders Remove all sources of ignition.

**Environmental Precautions** 

**Environmental Precautions** Prevent product from entering drains. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Provide adequate ventilation. Avoid sources of ignition. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite)

and place in container for disposal according to local / national regulations (see Section 13).

**Methods for cleaning up**Clean contaminated surface thoroughly.

Prevention of secondary hazards Pyrethrins and pyrethroids are toxic to fish and other aquatic invertebrates. Contaminated

absorbent and wash water should be disposed of according to local, state and federal

regulations.

# 7. Handling and Storage

Precautions for safe handling

Advice on safe handling Avoid contact with skin. Avoid getting spray into eyes. Do not deliberately inhale vapor or

mist. Do not contaminate food or food handling surfaces. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity). AEROSOL STORAGE LEVEL III (NFPA-30B).

Incompatible Materials Avoid, heat, open flames and contact with alkaline substances such as soda ash and lye.

# 8. Exposure Controls/Personal Protection

Control parameters

**Exposure guidelines** See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
n-butane	STEL: 1000 ppm	(vacated) TWA: 800 ppm	TWA: 800 ppm
106-97-8		(vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>
Propane	TWA: 1000 ppm	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6		TWA: 1800 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1800 mg/m <sup>3</sup>
		(vacated) TWA: 1800 mg/m <sup>3</sup>	-

### **Appropriate engineering controls**

**Engineering controls**Use with adequate general or local exhaust ventilation.

Individual protection measures, such as personal protective equipment

**Eye/face Protection** Conventional eyeglasses to guard against splashing.

**Skin and Body Protection** Rubber, vinyl or household type gloves required.

Respiratory protection For crack and crevice treatment, use in a well-ventilated area only. For space spray, do not

remain on the treated area. Keep areas closed for a least 1/2 hour. Ventilate area

thoroughly before reentry.

**General hygiene considerations** Wash hands thoroughly after handling.

# 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

Physical State Aerosol

Appearance Clear, yellowish liquid. Odor Characteristic odor of

insecticide and petroleum

distillate.

Clear to yellowish

Odor threshold

No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Not applicable Solvent-based product.

Melting point/freezing point Not applicable No information available

Boiling point/boiling range Petroleum Distillate 424-495 F
Flash Point Not Available. This is an aerosol No information available

product for which Flame Projection is over 18 inches with 8 in flashback. Temperatures above 120 F may cause

cans to burst.

**Evaporation Rate** Faster than butyl acetate. No information available

Flammability (solid, gas)

No information available
No information available

Upper flammability limits Lower Flammability Limit

Color

Vapor pressure60 psig (total can @ 70 F)No information available

Vapor DensityNo information availableSpecific gravity0.824 concentrateNo information available

Water solubility insoluble

Solubility in other solvents

Partition coefficient

Autoignition Temperature

Decomposition temperature

Kinematic viscosity

No information available

Explosive properties

No information available

No information available

**Other Information** 

Softening point No information available Molecular weight No information available

**VOC content (%)** 15.00% **Density** 6.86 lb/gal

Bulk Density No information available

# 10. Stability and Reactivity

Reactivity

Not applicable Not applicable

**Chemical stability** 

Stable.

Possibility of hazardous reactions

Temperatures above 120 F may cause cans to burst with force.

hazardous polymerization Hazardous polymerization does not occur.

**Conditions to Avoid** 

Temperatures above 120 F.

#### **Incompatible Materials**

Avoid, heat, open flames and contact with alkaline substances such as soda ash and lye.

#### Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide, carbon dioxide and hydrogen cyanide (from active ingredient).

# 11. Toxicological Information

#### Information on likely routes of exposure

**Product Information** Results below are for a very similar product with same concentration of active ingredients.

inhalation Acute Inhalation LC50 >2.64 mg/L - Rats exposed for 4 hours to test atmosphere.

Eye Contact Minimally irritating to both the unrinsed and rinsed eye. All ocular irritation cleared within 72

hours

Skin contact Acute Dermal LD 50:. >2000 mg/kg (Albino rabbit).

**INGESTION** Acute Oral IV (LD50 >5,000 mg/kg).

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated light 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg(Rabbit)	> 5.2 mg/L (Rat)4 h
n-butane 106-97-8	-	-	= 658 g/m³ ( Rat ) 4 h
Propane 74-98-6	-	-	= 658 mg/L (Rat) 4 h
Esfenvalerate 66230-04-4	= 75 mg/kg(Rat)= 325 mg/kg( Rat)	> 2000 mg/kg (Rabbit) > 5 g/kg ( Rat) > 2 g/kg (Rabbit)	= 0.48 mg/L (Rat)4 h

#### Information on toxicological effects

Symptoms Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and

nausea.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Prolonged and repeated contact with skin may cause allergic reactions in some individuals.

Serious eye damage/eye irritation Can cause irritation after contact with the eyes.

corrosivity Not applicable.

sensitization May cause sensitization by skin contact.

Germ Cell Mutagenicity No information available.

**carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Esfenvalerate		Group 2A		X
66230-04-4		Group 3		

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Aspiration Hazard Not applicable.

### Numerical measures of toxicity - Product Information

Unknown acute toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-gas) 2293333 mg/l ATEmix (inhalation-vapor) 658 mg/l

# 12. Ecological Information

This product contains a chemical which is listed as a severe marine pollutant according to DOT.

### ecotoxicity

This pesticide is extremely toxic to fish. Do not contaminate water when disposing of equipment wash waters or rinsate.

15% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Petroleum distillates, hydrotreated light 64742-47-8		45: 96 h Pimephales promelas mg/L LC50 flow-through 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static 2.2: 96 h Lepomis macrochirus mg/L LC50 static	•	4720: 96 h Den-dronereides heteropoda mg/L LC50

### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Chemical name	Partition coefficient
n-butane	2.89
106-97-8	
Propane	2.3
74-98-6	

Other adverse effects No information available

Ozone This product does not contain CFCs or other ozone depleting substances. Federal

regulations prohibit the use CFC propellants in aerosols.

# 13. Disposal Considerations

### Waste treatment methods

**Disposal of wastes**Dispose of in accordance with federal, state and local regulations.

**Contaminated packaging** Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate

container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your

local solid waste agency for disposal instructions.

Chemical name	California Hazardous Waste Status
Esfenvalerate	Toxic
66230-04-4	

# 14. Transport Information

**DOT** Limited quantity (LQ) Insecticide spray

UN/ID no UN1950

Proper Shipping Name Limited quantity (LQ)

Hazard Class 2

Marine pollutant

This product contains a chemical which is listed as a severe marine pollutant according to

DOT.

# 15. Regulatory information

#### **International Inventories**

TSCA All ingredients of this product are listed or are excluded from listing under the U.S. Toxic

Subtances Control Act (TSCA) Chemical Substance Inventory.

All ingredients are listed or are excluded from listing on the DSL.

Legend:

DSL

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### **US Federal Regulations**

#### **SARA 313**

This product does not contain toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

### SARA 311/312 Hazard Categories

Acute Health Hazard yes
Chronic Health Hazard No
Fire Hazard yes
Sudden release of pressure hazard No
Reactive Hazard No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

### **U.S. State Right-to-Know Regulations**

	Chemical name	New Jersey	Massachusetts	Pennsylvania
	n-butane 106-97-8	Х	X	X
Ī	Propane 74-98-6	Х	X	X

# U.S. EPA Label information

EPA Pesticide registration number 498-202

# **EPA Statement**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: **CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation.** 

# 16. Other information

NFPA Health Hazards 2 Flammability 4 Instability 1 Physical and chemical

**properties** Not applicable

HMIS Health Hazards 2 Flammability 4 Physical Hazards 1 Personal Protection B -

Eyes and hands

protection

Prepared by Regulatory Department

Issue date 16-Dec-2014

**Revision note** 

This SDS supersedes a previous MSDS dated January 23, 2007.

**Disclaimer** 

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**