

Safety Data Sheet

Version 1

1. Identification of the Substance/Preparation and of the Company/Undertaking

<u>Product Identifier</u> Product name Chemical name	CHAMPION SPRAYON SPRAY DISINFECTA 7-9761-1	NNT FORMULA 3	
<u>Other means of identification</u> Product code Synonyms Registration number(s)	FG 438-5157-5 Disinfectant Spray 498-179		
Recommended use of the chemical	and restrictions on use		
Recommended Use	For disinfection of hard, non-porous, inanimate	For disinfection of hard, non-porous, inanimate surfaces.	
Uses advised against	Do not spray on varnished, painted or plastic surfaces.		
Details of the supplier of the safety	data sheet		
Supplier Address		Manufacturer Address	
Chase Products Co.		Chase Products Co.	
2727 Gardner Road		2727 Gardner Road	
Broadview, IL 60155		Broadview, IL 60155	
708-273-1121		708-273-1121	
Emergency Telephone Number			
Company Phone Number	708-865-1000		
24 Hour Emergency Phone Number	1-800-255-3924		

2. Hazards Identification

ChemTel 1-800-255-3924

Classification

Emergency telephone

Serious eye damage/eye irritation	Category 2A
FLAMMABLE AEROSOLS	Category 2
Gases Under Pressure	liquefied gas

Label Elements

EMERGENCY OVERVIEW

Warning		
hazard statements Causes serious eye irritation Flammable Aerosol Contains gas under pressure; may exploo	le if heated	
Appearance Hazy, yellow liquid	Physical State Aerosol	Odor Perfumed.

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves, protective clothing, eye protection and face protection. Keep away from heat, sparks, open flames and hot surfaces. — No smoking Pressurized container: Do not pierce or burn, even after use Do not spray on an open flame or other ignition source

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 122 °F (50 °C)

Hazards not otherwise classified (HNOC)

Other Information

• Toxic to aquatic life with long lasting effects 0.69% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/information on Ingredients

Synonyms Chemical Family Formula Chemical nature Disinfectant Spray. MIXTURES. 7-9761-1 Aqueous solution of alcohol and other active ingredients.

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	45-50	*
Ethyl alcohol	64-17-5	30-35	*
N-Butane	106-97-8	10-15	*
Propane	74-98-6	1-5	*
Chamical Additiona Soo Jaho	I for active ingredients informativ	on	

Chemical Additions

See label for active ingredients information.

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

FIRST AID MEASURES

Eye Contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin contact	Wash with soap and water. If irritation develops, consult a physician .
inhalation	If overcome by vapor, move person to fresh air.
INGESTION	Ingestion from an aerosol product is unlikely to occur.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	
Oymptoms	Acute, Deliberate inhalation of concentrated vapor or mist may cause headaches. Prolonged and repeated contact with the eyes may cause mild irritation.
	Prolonged and repeated contact with the eyes may cause mild irritation.

5. Fire-fighting measures

Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Use water spray or fog; do not use straight streams.

Specific hazards arising from the chemical

Containers are under pressure. Temperatures above 130 °F may cause cans to burst.

Hazardous combustion products Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame, and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

Protective equipment and precautions for firefighters

Use personal protective equipment as required.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	CONTENTS UNDER PRESSURE. Do not puncture or incinerate cans.	
Other Information	Keep out of reach of children.	
Environmental Precautions		
Environmental Precautions	See Section 12 for additional Ecological Information.	
Methods and material for containm	ent and cleaning up	
Methods for Containment	Provide adequate ventilation to area being treated. Soak up spills with chemically inert, absorbent material.	
Methods for cleaning up	Clean contaminated surface thoroughly.	
	7. Handling and Storage	
Precautions for safe handling	7. Handling and Storage	
Precautions for safe handling Advice on safe handling	7. Handling and Storage Avoid getting spray into eyes. Keep out of reach of children.	
_	Avoid getting spray into eyes. Keep out of reach of children.	
Advice on safe handling	Avoid getting spray into eyes. Keep out of reach of children.	
Advice on safe handling Conditions for safe storage, includ	Avoid getting spray into eyes. Keep out of reach of children. ing any incompatibilities Store in a cool, dry place away from heat and open flame. Avoid storing at below-freezing	

Control parameters

Exposure guidelines

See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m³ (vacated) TWA: 1000 ppm	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³

		(vacated) TWA: 1900 mg/m ³	
N-Butane 106-97-8	STEL: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m ³	TWA: 800 ppm TWA: 1900 mg/m ³
Propane 74-98-6	TWA: 1000 ppm	TWA: 1000 ppm TWA: 1800 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m ³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m³

Appropriate engineering controls

Engineering controls	Use with adequate general or local exhaust ventilation.	
Individual protection measures, such as personal protective equipment		
Eye/face Protection	Conventional eyeglasses to guard against splashing.	
Skin and Body Protection	Household type gloves, if desired.	
Respiratory protection	None required if used in a well-ventilated area .	
General hygiene considerations	None required.	

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State Appearance Color	Aerosol Hazy, yellow liquid clear	Odor Odor threshold	Perfumed. No information available
<u>Property</u> pH Melting point/freezing point Boiling point/boiling range Flash Point	Values_ 10.5 +/- 0.5 NA 212 °F/100 °C Not avaliable. This is an aerosol product for which Flame Projection is 6-8 inches without flashback. Temperatures above 120 F may cause cans to burst.	Remarks • Method No information available No information available No information available No information available	
Evaporation Rate Flammability (solid, gas) Flammability Limits in Air Upper flammability limits Lower Flammability Limit Vapor pressure Vapor Density Relative Density Water solubility Solubility in other solvents Partition coefficient Autoignition Temperature Decomposition temperature Kinematic viscosity Dynamic viscosity	Faster than butyl acetate Not available Not available Not available 0.92 concentrate completely soluble	No information available No information available	
Explosive properties Oxidizing properties <u>Other Information</u>	No information available No information available		
Softening point Molecular weight VOC content (%) Density	No information available No information available 51.32% No information available		

Bulk Density

8.33 Lb/gal

10. Stability and Reactivity

Reactivity

Not applicable no data available

Chemical stability

Stable.

Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Temperatures above 122 °F (50 °C). Incompatible Materials Avoid heat, open flame and contact with strong oxidizers. <u>Hazardous decomposition products</u> Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

11. Toxicological Information

Information on likely routes of exposure

Product Information	Acute: Prolonged inhalation of concentrated vapor or mist may cause headaches, dizziness and nausea. Prolonged and repeated contact with skin may cause irritation and reddening. Contact with eyes causes irritation.
inhalation	See data below.
Eye Contact	no data available.
Skin contact	no data available.
INGESTION	This is an aerosol product, ingestion is unlikely to occur. MAY BE HARMFUL IF SWALLOWED.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Ethyl alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h
N-Butane 106-97-8	-	-	= 658 g/m³(Rat)4 h
Propane 74-98-6	-	-	= 658 mg/L (Rat)4 h

Information on toxicological effects

Symptoms

See information above.

Delayed and immediate effects as well as chronic effects from short and long-term exposure_

sensitization	No information available.
Germ Cell Mutagenicity	No information available.
carcinogenicity	Not known chronic effects based on available information.
Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration Hazard	No information available.

Numerical measures of toxicity - Product Information

Unknown acute toxicity 0.69% of the mixture consists of ingredient(s) of unknown toxicity The following values are calculated based on chapter 3.1 of the GHS document			
ATEmix (inhalation-gas)	10000000		
ATEmix (inhalation-vapor)	16447.4 mg/l		

12. Ecological Information

ecotoxicity

20.99% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name Algae/aquatic plants Fish Toxicity Microorga	
Ethyl alcohol 12.0 - 16.0: 96 h EC50 = 34634 m 64-17-5 Oncorhynchus mykiss mL/L LC50 static 100: 96 h EC50 = 34634 m Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	ng/L 30 min mg/L 5 min Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static 10800: 24 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

See information below.

Chemical name	Partition coefficient
Ethyl alcohol 64-17-5	-0.32
N-Butane 106-97-8	2.89
Propane 74-98-6	2.3

Other adverse effects

No information available

13. Disposal Considerations

Waste treatment methods

Disposal of wastesDo not puncture or incinerate container. If empty: Place in trash or offer for recycling if
available. If partly filled: Call your local solid waste agency for disposal instructions.

Contaminated packaging Pressurized container: Do not pierce or burn, even after use.

Chemical nameCalifornia Hazardous Waste StatusEthyl alcoholToxic64-17-5Ignitable

14. Transport Information

Note:

The following information is for aerosols with less than 17 oz net weight when shipped by road.

 DOT
 Consumer Commodity

 UN/ID no
 Limited Quantity

 Proper Shipping Name
 Consumer Commodity

ORM-D

<u>ICAO (air)</u>	The following information is for aerosols less than 17 oz net weight when shipped by air.
UN/ID no	ID8000
Proper Shipping Name	Consumer Commodity or Limited Quantity
Hazard Class	9 (packaging instructions Y963)

15. Regulatory information

International Inventories TSCA

Hazard Class

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Subtances Control Act (TSCA) Chemical Substance Inventory. All ingredients are listed or are excluded from listing on the DSL.

DSL

Legend: TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

<u>SARA 313</u>

This product does not contain toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5			Х
Ethyl alcohol 64-17-5	Х	X	Х
N-Butane 106-97-8	Х	X	Х
Propane 74-98-6	Х	X	Х

U.S. EPA Label information

EPA Pesticide registration number 498-179

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION: May cause eye irritation. Avoid contact with the eyes and skin. Avoid breathing of spray mist. Avoid contamination of foodstuff.

16. Other information				
<u>NFPA</u>	Health Hazards 1	Flammability 1	Instability 1	Physical and chemical properties Not applicable
<u>HMIS</u>	Health Hazards 1	Flammability 2	Physical Hazards 1	Personal Protection A - Eyes protection
Prepared by Issue date Revision note This SDS supersed	Regulatory Department 09-Jun-2015 es a previous MSDS dated January 17, 2011.			

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet